


# KFL-11M

## Mini Visual Fault Locator



Compact



2.5mm universal



LED light



### Products Characters

- Pocket size design,mini and compact
- Rubber dustproof cover
- Testing distance is up to 25km,high stability
- 2.5mm universal connector,suitable for SC/ST/FC connector
- Strong and stable light source, strong penetrating power
- Be equipped with LED light,more convenient to work in the dark




# Products Features



## LED light

More convenient to check the fibers in the dark



## Concealed button

Concealed button to prevent accidental touch




Back clip design

Convenient to carry



Testing distance is up to 25km



2.5mm universal connector



## Products specification

Model	KFL-11M-10	KFL-11M-20	KFL-11M-30
Power range	10mW	20mW	30mW
Testing distance	5-8km	12-15km	20-25km
Working time	5H	4H	2H
Wavelength	650nm		
Laser type	LD		
Frequency	CW / 2Hz		
Working temperature	-20 ~ +60 (°C)		
LED light	Yes		
Power supply	AAA 1.5V battery X2 (default)		
Dimension	127 x 36.5 x 28 (mm)		
Weight	61 g (with battery)		

1.All the above data are obtained by komshine Lab in a 20° environment

2.Measuring distance depends on factors such as optical fiber bending, connector, quality, etc.



## Products display



### HEAD OFFICE

KomShine Technologies Limited

### CONTACT US

Add: 2F Bldg. D Qinheng Tech. Pk. Nanjing, JS, 210001, China

TEL: +86 ( 025 ) 66047688

Web: [www.KomShine.com](http://www.KomShine.com)

Mail: [info@komshine.com](mailto:info@komshine.com)

- \* Komshine reserves the right to make changes or modify the features and specifications of KomShine products without notice.
- \* Company and product names in this catalogue are registered marks or trademarks of respective companies.
- \* This catalogue is printed using environmentally friendly paper and ink.