


KLS-25m

Mini Size Optical Light Source



Product Characteristics

- 2.5mm universal+SC adapter
- Wavelength: 1310/1550nm
- Low battery reminder function
- Pocket size design
- Typical output power: -5dB
- Drop protection: 2m
- Water-resistant keys
- LED lighting, clear in the dark environment



Backlight display



One-key start



Automatic shutdown



Plug and play



Super long standby



Silicone protective case



Main Features



Drop protection



Mini Size



LED lighting



Detachable protective sleeve

KLS-25m



Interface accessory



SC



FC



ST

Wavelength(nm)	1310/1550nm
Typical Output Power	-5dB
Optical Connector	SC+2.5mm universal (1.25mm for LC is Optional)
Power Supply	Alkaline Battery(2 AAA 1.5V batteries)
Output Stability	±0.05dB/15mins; ±0.1dB/ 8hours
Modulation Frequencies	CW, 270Hz, 1KHz, 2KHz
Dimensions / Weight	130x65x35mm / 180g

Product Display



HEAD OFFICE

KomShineTechnologies Limite

CONTACT US

Add: 2F Bldg. D Qinhen Tech. Pk. Nanjing, JS, 210001, China

TEL: +86 (025) 66047688

www.komshine.com

ventas@komshine.com

* Komshine reserves the right to improve, enhance, or modify the features and specifications of KomShine products without prior notification.

*Company and product names appearing in this catalogue are resisterd marks or trademarks of respective companies.

* This catalogue is printed using environmentally friendly paper and ink.