

QX50 All-fiber OTDR



- Applicable fiber: SM MM PON
- <1.8m extra-short event dead zone
- Up to 32/30dB High Dynamic Range
- Distance Range: 4,8,16,32,64,128,256km
- 640x480, 5.7 inch TFT-LCD (touch screen)
- 3 year Warranty
- USB interfaces, supporting USB stick and printer and direct cable download to PC via ActiveSync
- Memory capacity >800 traces
- Built-in lithium battery with high capacity for over 8 hours of operating life
- Display: Color LCD

Support four interface fiber types



FC



ST (Optional)



SC (Optional)



LC (Optional)

GUI interface

GUI interface design, operation is more simple, more intuitive reflection of the measurement results.



Color touch screen

Touch and key make operation more varied. To satisfy different people's habits and improve their work efficiency.



CONTACT US:

KomShine Technologies Limited

HEAD OFFICE:

Add: 2F Bldg. D Qinheng Tech. Pk. Nanjing, JS, 210001, China

Web: www.komshine.com

Mail: info@komshine.com

TEL: +86 25 66047688

* Komshine reserves the right to improve, enhance, or modify the features and specifications of KomShine products without prior notification.

*Company and product names appearing in this catalogue are registered marks or trademarks of respective companies.

* This catalogue is printed using environmentally friendly paper and ink.